

Access Control Hardware Manual




Access Control Machine with simple design, easy to use access control terminal equipment, can be installed in sensitive areas that require authorization before they can enter. Innovatively advanced high security identification and access control management both to achieve access control high security Management


Key Function

- OK** Confirm key: make sure your current operation;
- MENU** Menu button: In the initial condition according to the key can enter the management interface;
- ESC** Cancel button: Cancel your current operation;
- ▲ Up key: Turning up menu items;
- ▼ Down key: Turning down menu items;
- 🔔 The bell button: Control the doorbell switch;
- Digital:** Input digital 0-9;

The wiring diagram




1.1 Registered Users




Remark: Can select "Password", the name of the person can be uploaded through the access control software

1.2 Administrator setting



Remarks: After setting the administrator, the menu needs to be confirmed by the administrator, the


1.3 Communication settings



Remarks:

- ☆Device IP: the default IP for the **192.168.8.198**, you can according to the need for change;
- ☆Subnet mask: the default for **255.255.255.0**, you can according to the need for change;
- ☆Default gateway: the default for **192.168.8.1**, you can be the basis of the need for change;
- ☆Device port: communication used the port number, the default for **5005**;
- ☆Server IP: the default for **192.168.0.1**, real-time monitoring of the computer when **IP** address, you can be the basis of the need for change;
- ☆Server port: communication port, the default used for **7005**;
- ☆Realtime Req: real-time monitoring fingerprint access to the computer when whether to send data. The default is no;

2. Entrance guard function setting



Remarks:

- ☆Time setting: is defined time for a week each day can unlock the definition of the time;
- ☆Users: user entrance guard Settings is the user the lock and unlock the set time combination;
- ☆Unlock Time: is fingerprints machine control open or close the locks of the time;
- ☆Lock Type Set: includes three kinds:: No、Open、Close; “No” refers to not use magnetic switch on the door, “Open” often a door lock is to open, “Close” the door closed to lock the shu started the multicolored;
- ☆Anti Pass: To prevent the following entry;
- ☆Alarm Time: is open the door for some time after began to call the police, this paragraph of time is door magnetic delay
- ☆Turn Off Alarm: in alarm has trigger, and has ruled illegal operation, but not by this option to stop the police.

3. Packing List

In addition to the machines, the box also contains the following items:

CD*1PCS Screw*4PCS Plug up*3PCS Mounting pad*3PCS ID card*1PCS

The installation of iron*1PCS Installation location map*1PCS

10P cable*1PCS OTG data line 150mm*1PCS 8P cable*1PCS

USB signal line*1PCS RJ45 Network line*1PCS DC power line*1PCS